

Product Name	: POLYFLOX 186	Issue Date	: 25 th November 2017
Reference No	: Version 17.01	Replaces	: None

1. IDENTIFICATION

GHS Product Identifier	POLYFLOX 186
Supplier Name	Integra Water Treatment Solutions
Address	Unit B/195 Port Hacking Road, Miranda NSW 2228
Telephone	(02) 9574 0000
Fax	(02) 9574 0011
Emergency Contact	1300 880 735
Recommended Use	A blend of polymers used in wastewater treatment processes.

2. HAZARD IDENTIFICATION

Classification of the substance or mixture	Classified as non-Hazardous according to the criteria of GHS. Classified as non-Dangerous Goods according to ADG Code. This material is classified as non-HAZARDOUS according to the criteria of Safe Work Australia.
---------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition Ingredients	Name	CAS	Proportion
	Distillates (Petroleum), Hydrotreated Light	64742-47-8	10-30 %
	Poly (oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-branched	69011-36-5	1-10 %
	Other ingredients determined not to be hazardous	Not required	Balance

4. FIRST AID MEASURES

Inhalation	Not normally an inhalation risk. However, if symptoms occur, remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop, seek medical attention.
Ingestion	If swallowed, give 2 glasses of water to drink. IMMEDIATELY call a physician. Never give anything by mouth to an unconscious person.
Skin	Wash affected skin areas thoroughly with soap and water. Remove and wash contaminated clothing thoroughly. Do not take clothing home to be laundered. Get medical attention if symptoms persist.
Eye Contact	IMMEDIATELY flush eye(s) with copious amounts of water for approximately 15 minutes holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. Seek immediate medical attention.
Advice to Doctor	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide or dry chemical.
Unsuitable Extinguishing Media	Do not use water, as material will become slippery and increases in volume, making clean up difficult.
Hazard from Combustion Products	Non-combustible.

Product Name	: POLYFLOX 186	Issue Date	: 25 th November 2017
Reference No	: Version 17.01	Replaces	: None

Specific Hazards	Combustion products – Carbon dioxide, carbon monoxide.
Precautions	Fire-fighters use Self-Contained Breathing Apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Slippery when wet. Wear compatible, chemically resistant gloves, eye protection (glasses or full face safety shield) and safety shoes. If exposed to material to material during clean-up operations, remove all contaminated clothing and wash exposed skin areas with soap and water. See FIRST AID PROCEDURES Section for further information. Protective clothing made of the following material should be worn to avoid skin contact: - Butyl rubber, Nitrile or PVC.
Clean-up & Disposal	Do not use water to wash clean spills. For small spills, use vermiculite, sand or other non-combustible absorbent to soak up, sweep and place in container for disposal. Wash spill area with plenty of water to sewer. Confirm with appropriate water authority for large spills. Discharge, treatment and disposal may be subject to federal, state or local laws and these should be consulted before discharge.

7. HANDLING AND STORAGE

Safe Handling	In use, avoid contact with chemical listed as hazardous reactions.
Safe Storage	Store away from oxidising agents. Store in a dry place avoiding iron containers. Keep in a cool dry place (0 to 30 °C). Keep away from sources of ignition. Freezing will affect the physical condition and may damage the material.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists. No exposure limits set. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Use this general information to help develop specific control measures. Ensure that control systems are properly designed and maintained and comply with occupational, environmental, fire, and other applicable regulations.
Biological Limit Values	No biological limit allocated.
Engineering Controls	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure, then a half face-piece respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses or goggles should be worn as described in Australian Standard AS/ANZ 1337 – Eye Protectors for Industrial Applications.
Hand Protection	Butyl, neoprene or nitrile gloves are recommended when using this product.
Body Protection	Suitable workwear should be worn to protect personal clothing. When large quantities are handled, the use of plastic aprons and rubber boots is recommended.

Product Name	: POLYFLOX 186	Issue Date	: 25 th November 2017
Reference No	: Version 17.01	Replaces	: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Viscous milky white liquid
Boiling Point	Approximately 100 °C
Melting Point	Not applicable
Solubility in Water	Soluble up to 5 g/L. However, solution becomes viscous.
Specific Gravity	1.07 at 20 °C approximately
pH Value	4.00 to 8.00 approximately
Vapour Pressure	Not applicable
Vapour Density (Air=1)	Not applicable
Flash Point	Does not flash
Flammability	Does not ignite
Ignition Temperature	Not applicable
Flammable Limits (Lower)	Not applicable
Flammable Limits (Upper)	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of use, storage and temperature.
Conditions to Avoid	Extreme temperatures.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Hydrogen chloride gas, nitrogen oxides and carbon oxides.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information	As product: Rat: LD ₅₀ , >5000 mg/kg approximately.
Inhalation	Inhalation may irritate the nose, throat and lungs.
Ingestion	May cause nausea, vomiting, diarrhoea, dizziness or convulsions.
Skin	Prolonged contact may cause irritation and/or dermatitis.
Eye	Eye contact may cause severe irritation.
Chronic Health Effects	Long term exposure may result in dermatitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Acute Toxicity to Fish: (96hrs) Fish: LC50, 10-100 mg/L (Estimated)
	Acute Toxicity to (48hrs) Daphnia: EC50, 10-100 mg/L (Estimated)
	Invertebrates:
	Acute Toxicity to Algae: Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium, preventing homogenous distribution which invalidates the test.
	Chronic Toxicity to No data available.
	Fish:
	Chronic Toxicity to No data available.
	Invertebrates:
	Toxicity to No data available.
	Microorganisms:
	Effects on Terrestrial Organisms: No data available. Readily biodegradable, exposure to soil is unlikely.

Product Name	: POLYFLOX 186	Issue Date	: 25 th November 2017
Reference No	: Version 17.01	Replaces	: None

	Sediment Toxicity:	No data available. Readily biodegradable, exposure to sediment is unlikely.
Persistence/Degradability		Readily biodegradable.
Mobility		No information available on mobility for this product.
Bioaccumulative Potential		No information available on bioaccumulation for this product.
Environmental Protection		Do not allow it to enter waterways. The effects of this product on aquatic organisms are rapidly and significantly mitigated by the presence of dissolved organic carbon in the aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Method	Can be landfilled or incinerated, when in compliance with local regulations. For large quantities, notify your local waste management authority for specific regulations.
---------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------

14. TRANSPORT INFORMATION

Transport Information	Classified as non-dangerous goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th Edition).
Special Precautions	Store in tightly closed containers in a cool area separated from normal work areas. The storage area should have adequate independent ventilation and have no sources of heat or sparks.

15. REGULATORY INFORMATION

Poisons Schedule Number	Not scheduled.
Packaging and Labelling	As required by the ADG Code and Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

The ingredients contained in this product listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Date Prepared	25 th November 2017
Abbreviations	GHS – Globally Harmonised System of Classification and Labelling of Chemicals ADG – Australian code for the Transport of Dangerous Goods by Road and Rail LD ₅₀ (Lethal Dose) – Amount of ingested product that kills 50% of a test sample. EC ₅₀ (Half Maximal Effective Concentration) – Concentration of a drug that gives half-maximal response.
Others	This information summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider this information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

...END OF SDS...